

Issuing Date 09-Jan-2015

Revision date 19-Jun-2018

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

PROSOCO

**Revision Number** 2

Product identifier Product Name

Enviro Klean® Safety Klean

Other means of identification Product Code(s) UN number

41035 UN3265

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)


785-865-4200 800-535-5053

# 2. HAZARDS IDENTIFICATION

#### Classification

Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

#### Label elements



Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

# Other information

May be harmful if swallowed

5.52% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	30 - 60	*
Organic Salt	Proprietary	30 - 60	*
Proprietary Cationic surfactant	Undisclosed	1 - 5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### Description of first aid measures

General advice	Immediate medical attention is required.	
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.	
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		

Symptoms	The product causes burns of eyes, skin and mucous membranes.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blo pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.			

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

e or spillage if safe to do so. Dike far ahead of liquid spill for later Inert absorbent material. Pick up and transfer to properly labeled aminated surface thoroughly. After cleaning, flush away traces with
e or spillage if safe to do so. Dike far ahead of liquid spill for later
Ŭ
5
ewer, on the ground or into any body of water. Prevent further afe to do so. See Section 12 for additional ecological information.
safe areas. Use personal protective equipment as required. Avoid or clothing. Keep people away from and upwind of spill/leak.

### Precautions for safe handling

Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,
	wear suitable respiratory equipment.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers.
Incompatible materials	Incompatible with strong acids and bases.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.	
Appropriate engineering controls		
Engineering Controls	Showers Eyewash stations Ventilation systems. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces. Application equipment, scaffolding, swing stages and support systems must be constructed of acid resistant materials.	
Individual protection measures, suc	ch as personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Face protection shield.	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Liquid clear amber	Odor Odor threshold	Fresh No information available
Property pH Melting point / freezing point °F Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature	Values0.334-30 °C / -22 °FNo information availableNo information available	Remarks • Method @ 1:3 Dilution Not Applicable	

Kinematic viscosity Dynamic viscosity No information available No information available

# **10. STABILITY AND REACTIVITY**

#### Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

To avoid thermal decomposition, do not overheat.

#### **Incompatible materials**

Incompatible with strong acids and bases.

#### Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	Corrosive
Inhalation	Avoid breathing vapors or mists. Causes burns. May be fatal if inhaled.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin Contact	Corrosive. Causes burns.
Ingestion	Do not taste or swallow. Harmful if swallowed.

#### **Component Information**

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Water	> 90 mL/kg (Rat)		
7732-18-5			

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms The product causes burns of eyes, skin and mucous membranes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure\_

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity	No information available. No information available. No information available. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.

Target organ effects Aspiration hazard	Eyes, Respiratory system, Skin. No information available.				
Numerical measures of toxicity - Product Information					
Unknown acute toxicity The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist)	5.52% of the mixture consists of ingredient(s) of unknown toxicity ed based on chapter 3.1 of the GHS document . 2708 mg/kg 187500 mg/kg 9546 mg/l 313.1 mg/l				
	12. ECOLOGICAL INFORMATION				
<u>Ecotoxicity</u>					
Persistence and degradability No information available.					
<b>Bioaccumulation</b> No information available.					
Other adverse effects	No information available				
	13. DISPOSAL CONSIDERATIONS				
Waste treatment methods					
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.				
Contaminated packaging	Do not reuse container.				
US EPA Waste Number	D002				

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

DOT
UN number
UN proper shipping name
Transport hazard class(es)
Packing group

Regulated UN3265 Corrosive liquid, acidic, organic, n.o.s. (Contains Urea Salts) 8 II

# **15. REGULATORY INFORMATION**

International Inventories

TSCA DSL/NDSL Legend: Complies Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

16. OTHER INFORMATION							
<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 0	Physical and chemical properties -			
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X			
Prepared By	Regulatory Department						
Issuing Date	09-Jan-2	09-Jan-2015					
Revision date	19-Jun-2	018					
Revision Note							
SDS sections updated	27811						
For product produced a	after June 15, 2018						
<u>Disclaimer</u>							
The information conta	ained on the Safety Data	Sheet has been compi	led from data considered a	ccurate. This data is			
believed to be reliable	e, but it must be pointed	out that values for cert	ain properties are known to	o vary from source to			
source. PROSOCO, Ir	nc. expressly disclaims a	any warranty express o	r implied as well as any liat	pility for any injury or loss			
arising from the use of	of this information or the	e materials described. T	his data is not to be constr	ued as absolutely			
•	2	•	ditions or circumstances e				
of the user to determine	ine the best precautions	necessary for the safe	handling and use of this p	roduct for his unique			

#### **End of Safety Data Sheet**

application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.